



LEONARD ZIMMERMAN

HEIGHT 5'9"   WAIST 34"   INSEAM 30"   COLLAR 15.5"   SLEEVE 32"   SUIT 40"   SUIT LENGTH R   SHOE 9.5 US   HAIR BROWN   EYES BROWN



LEONARD ZIMMERMAN

HEIGHT 5'9"   WAIST 34"   INSEAM 30"   COLLAR 15.5"   SLEEVE 32"   SUIT 40"   SUIT LENGTH R   SHOE 9.5 US   HAIR BROWN   EYES BROWN






1

*One thing to know:  
a small increase in  
contribution rates can  
make a big difference  
in retirement.*


Defined contribution plans make your clients' choices as important as their portfolio managers'. At Allianz Global Investors, our proprietary research can help our clients understand their options and make better retirement decisions.

Allianz Global Investors combines world-class investment management with personal service to help our clients reach their goals.

[us.allianzgi.com](http://us.allianzgi.com)

**Allianz**   
Global Investors

© Allianz Global Investors, 2012. Issued in the U.S. by Allianz Global Investors Distributors LLC.  
Investing involves risk. The value of an investment will fluctuate and, when sold or redeemed, may be worth more or less than its original cost. This material is for information only. Nothing in it should be interpreted as an offer or recommendation of any service or financial product. These may be subject to local country regulatory restrictions. Investors should consult with their own financial, legal, tax and other advisors regarding their particular circumstances.



**VSL#3<sub>DS</sub>**  
DOUBLE STRENGTH

In the dietary management of an ileal pouch, VSL#3 DS may benefit patients.  
**Too cool.**

**VSL#3<sub>DS</sub>**  
DOUBLE STRENGTH

Prescription only

1. Medical food for the dietary management of obstructive colitis or ileal pouchitis.  
2. Signs of SIB, loose stool, gas, and bloating.  
3. 99.9 billion bacteria per sachet.  
30 SACHETS

In 2 double-blind, placebo-controlled studies in patients with a well-maintained ileal pouch, Dietary management with VSL#3 provided significant clinical benefit:

- In a 9-month study (N=40), patients receiving VSL#3 were significantly more likely to remain in maintenance mode vs. patients receiving placebo (85% vs 0%, respectively,  $P < 0.001$ )<sup>1</sup>
- In a 1-year study (N=36), 85% of patients receiving VSL#3 group remained in maintenance mode vs. 6% in the placebo group ( $P < 0.0001$ )<sup>2</sup>
- VSL#3 is a medical food & must only be used under medical supervision

For more information, please see a representative at this booth.

[www.vsl3.com](http://www.vsl3.com)

<sup>1</sup> Borczyk P et al. Oral Bacteriotherapy as Maintenance Treatment in Patients with Chronic Pouchitis: a Double-Blind, Randomized-Controlled Trial. *Gastroenterology* 119: 305-309 (2000)

<sup>2</sup> Remon T et al. Once Daily High-Dose Probiotic Therapy (VSL#3) for Maintaining Remission in Recurrent or Refractory Pouchitis. *Gut* 53:128-134 (2004)

Prescription only  
**VSL#3<sub>DS</sub>**  
DOUBLE STRENGTH

LEONARD ZIMMERMAN

HEIGHT 5'9" WAIST 34" INSEAM 30" COLLAR 15.5" SLEEVE 32" SUIT 40" SUIT LENGTH R SHOE 9.5 US HAIR BROWN EYES BROWN





LEONARD ZIMMERMAN

HEIGHT 5'9"   WAIST 34"   INSEAM 30"   COLLAR 15.5"   SLEEVE 32"   SUIT 40"   SUIT LENGTH R   SHOE 9.5 US   HAIR BROWN   EYES BROWN